



MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Name Nu-Calgon Wholesaler, Inc.	Phone Number (314) 469-7000 / (800) 554-5499	CHEMTREC (800) 424-9300		
Street Address 2008 Altom Court	City St. Louis	State MO	Postal Code 63146-4151	Last Update 2/10/10
Product Name Aerosol Penetrating Lubricant	Product Number 4085	Product Use Lubricant		EPA Registration # N/A

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	% By Wt.	CAS Number	TLV	PEL
Hydrotreated Light Petroleum Distillates	45 - 55	64742-47-8	5 mg/m3 (mist)	5 mg/m3 (mist)
Stoddard solvent	25 - 35	8052-41-3	100 ppm	100 ppm
Petroleum distillates, hydrotreated light naphthenic	< 5.0	64742-53-6	5 mg/m3 (mist)	5 mg/m3 (mist)
Propane	< 10	74-98-6	1000 ppm	1000 ppm
Isobutane	< 10	75-28-5	800 ppm	800 ppm

SECTION 3 – HAZARD IDENTIFICATION

Emergency Overview: DANGER: Harmful or fatal if swallowed. Extremely flammable. Keep away from open flames, hot surfaces and sources of ignition. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C). KEEP OUT OF REACH OF CHILDREN

Potential Health Effects

Eyes: Contact with eyes may cause irritation.

Skin: Substance may cause slight skin irritation. Prolonged skin contact may defat the skin and produce dermatitis.

Ingestion: Aspiration may cause pulmonary oedema and pneumonitis. Nausea.

Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.

Chronic Exposure: Prolonged skin contact may cause skin irritation and/or dermatitis, May cause irreversible eye damage or Lung damage

Carcinogenicity: None Known

Medical Conditions Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions

SECTION 4 – FIRST AID MEASURES

Eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist

Skin: Wash off with soap and water. If skin irritation persists, call a physician

Ingestion: DO NOT INDUCE VOMITING. Clean mouth with water and afterwards drink plenty of water. Call a physician or Poison Control Centre immediately

Inhalation: Move to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth. Obtain medical attention

SECTION 5 – FIREFIGHTING MEASURES

Flash Point: N/A°F

Autoignition Temp: N/A°C/N/A°F

Hazardous Products of Combustion: Carbon oxides , Fluorides (trace), Phosphides (trace) or Zinc (trace)

Flammable Limits in Air: N/A

Extinguishing Media: Foamy spray. Dry chemical. Carbon dioxide (CO2).

Fire and Explosion Hazards: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C)

Special Firefighting Procedures: Water mist may be used to cool closed containers. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill or Leak: Prevent product from entering drains. Should not be released into the environment. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container . Dispose of in accordance with local regulations.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment: Wear personal protective equipment. Do not pierce or burn, even after use. Do not spray on naked flame or any incandescent material.

Storage Requirements: KEEP OUT OF REACH OF CHILDREN. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C).

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Eye Protection: Safety glasses with side-shields

Protective Clothing: Neoprene gloves

Exposure Guidelines: See section 2

Specific Engineering Controls (such as ventilation, enclosed process): Ensure adequate ventilation, especially in confined areas Remove all sources of ignition

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Aerosol	Freezing Point: N/A°C/N/A°F	% Volatile by Weight: 49.9%
Color: Light straw	Vapor Density [air =1]: N/A	Evaporation Rate: N/A
Odor: Solvent	Vapor Pressure: N/A	Specific Gravity: 0.79
Boiling Point: N/A°C/N/A°F	Solubility in Water: Insoluble.	pH (concentrate): N/A

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions

Hazardous Polymerization: Hazardous polymerization does not occur

Incompatibilities: Strong oxidizing agents

Reactive Conditions to avoid: Heat, flames and sparks. Extremes of temperature and direct sunlight. Do not expose to temperatures above 54°C .

Decomposition Products: Carbon oxides , Fluorides (trace), Phosphides (trace) or Zinc (trace)

SECTION 11 – TOXICOLOGICAL INFORMATION

<u>Hazardous Ingredients</u>	<u>CAS #</u>	<u>EINECS #</u>	<u>LD 50 of Ingredient</u> (Specify Species)	<u>LC50 of Ingredient</u> (Specify Species)
Hydrotreated Light Petroleum Distillates	64742-47-8	N/E	N/A	N/A
Stoddard solvent	8052-41-3	N/E	N/A	N/A
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	N/E	N/A	N/A
Propane	74-98-6	N/E	N/A	N/A
Isobutane	75-28-5	N/E	N/A	Inhalation LC50 Rat: 57 pph/15M

SECTION 12 – ECOLOGICAL INFORMATION

<u>Hazardous Ingredients</u>	<u>Aquatic Toxicity Data</u>
	N/A for Hydrotreated Light Petroleum Distillates, Stoddard solvent, Petroleum distillates, hydrotreated light naphthenic, Propane and Isobutane.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: Should not be released into the environment. Dispose of in accordance with local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

Special Shipping Information: No Data.

<u>Purview</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT (Land)	Consumer Commodity ORM-D	No Data.	No Data.	No Data.
IMO (Water)	No Data.	No Data.	No Data.	No Data.
ICAO (Air)	Aerosol, Flammable,	UN1950	N/A	2.1

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: (Workplace Hazardous Material Information System)	A, B1
SARA Title III: (Superfund Amendments & Reauthorization Act)	No
OSHA: (Occupational Safety & Health Administration)	See section 2
TSCA: (Toxic Substance Control Act)	Present
VOC: (volatile Organic Compounds)	49.9%
CPR: (Canadian Controlled Products Regulations)	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations.
EINECS: (European Inventory of Existing Commercial Chemical Substances)	No Data.
DSL / NDSL: (Canadian Domestic Substance List)(Non-Domestic Substance List)	Present
CERCLA: (Comprehensive Response Compensation & Liability Act)	No
IDL: (Canadian Ingredient Disclosure List)	No Data.
NFPA (HMIS) Rating: (Hazardous Materials Identification System)	Health=2; Fire=3; Reactivity=0 Personal protective equipment = B

SECTION 16 – OTHER INFORMATION

No Data.

The information contained herein is based on the data available to us and is believed to be correct. However, Nu-Calgon Wholesaler Inc. makes no warranty, expressed, or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Nu-Calgon Wholesaler Inc. assumes no liability for injury from the use of the product described herein.